## IN THE CLAIMS:

Amend the claims as follows.

- (Currently Amended) A process for modifying a producing a modified pectin comprising:
- (i) providing a <u>plant</u> host having <u>polymethylesterase (PME)</u> <del>PME</del>-activity and <u>polygalacturonase (PG)</u> <del>PG</del>-activity;
- (ii) transforming said host by silencing PG activity thereby to provide an increased PME to PG ratio;
  - (iii) preparing a PME extract from the transformed host;
- (iv) <u>contacting using</u> the PME extract <u>with a pectin to produce the modified</u> <u>pectin to modify pectin</u>.
- 2. (Currently Amended) A process according to claim 1 wherein the <u>PG</u> activity of the native <u>PG</u> enzyme is silenced by expression of all or part of a nucleotide sequence in an antisense orientation.
- 3. (Previously Presented) A process according to claim 1 wherein the activity of the native PG enzyme comprising the amino acid sequence presented as SEQ ID No: 2 or a variant, homologue or fragment thereof is silenced by expression of all or part of a nucleotide sequence in an antisense orientation.
- 4. (Previously Presented) A process according to claim 1 wherein the activity of the native PG enzyme comprising the amino acid sequence presented as SEQ ID No: 2

is silenced by expression of all or part of a nucleotide sequence in an antisense orientation.

5. (Currently Amended) A process according to claim 1 wherein the activity of the native PG enzyme is silenced by expression of all or part of a nucleotide sequence comprising the sequence presented as SEQ ID No: 1 or SEQ ID No: 4 SEQ ID NO:3 or a variant, homologue, fragment, or derivative thereof in an antisense orientation.

6. (Currently Amended) A process according to claim 1, wherein the activity of the native PG enzyme is silenced by expression of all or part of a nucleotide sequence comprising the sequence presented as SEQ ID No: 1 or SEQ ID No: 4 SEQ ID NO:3 in an antisense orientation sequence.

Claim 7. (Canceled)

- 8. (Previously Presented) A process according to claim 1 wherein the process includes the further step of isolating the PME modified pectin from the active PME.
- 9. (Currently Amended) A process according to claim 8 claim 1 wherein the PME modified pectin is a high ester pectin.
- 10. (Previously Presented) A process according to claim 8 wherein the PME modified pectin contains from about 55% to about 85% ester groups.

Claims 11-13. (Canceled)

- 14. (Currently Amended) A process according to claim 1 wherein the process includes the further step of adding the PME-modified pectin to a medium that is suitable for consumption.
- 15. (Original) A process according to claim 14 wherein the medium is an acidic environment.
- 16. (Previously Presented) A process according to claim 15, wherein the acidic environment has a pH of from about 3.5 to about 5.5.
- 17. (Original) A process according to claim 16, wherein the acidic environment has a pH of about 4.
- 18. (Currently Amended) A process according to claim 15 wherein the medium is a beverage an aqueous solution.

Claim 19. (Canceled)

20. (Currently Amended) A process according to claim 18 19 wherein the beverage is an acidified milk beverage, a drinking yoghurt, a fruit juice, milk beverage or a beverage comprising whey protein or a vegetable protein such as soya.

21. (Previously Presented) A process according to claim 18 wherein the medium comprises a protein.

Claims 22-36. (Canceled)

- 37. (New) A process for producing a modified pectin comprising:
- (i) providing a host plant cell having polymethylesterase (PME) activity and polygalacturonase (PG) activity;
- (ii) transforming the host plant cell with a construct comprising a recombinant DNA sequence coding for only part of an amino acid sequence having PG activity such that the ratio of PME to PG in said host plant cell is increased;
  - (iii) preparing a PME extract from the transformed host plant cell; and
- (iv) contacting the PME extract with a pectin to produce the modified pectin.
- 38. (New) The process of claim 37 wherein the recombinant DNA sequence is expressed in said host plant cell in the antisense orientation.
- 39. (New) The process of claim 37 wherein the nucleic acid sequence encodes the amino acid sequence of SEQ ID NO:2.

- 40. (New) The process of claim 37 wherein the recombinant DNA sequence codes for a part of the amino acid sequence of SEQ ID NO:2.
- 41. (New) The process of claim 37 wherein said recombinant DNA sequence is a part of SEQ ID NO:1 or SEQ ID NO:3.
- 42. (New) The process of claim 40 wherein the recombinant sequence is expressed in said host plant cell in the antisense orientation.
- 43. (New) The process of claim 37 wherein said PME extract is produced from a plant comprising said plant cell.
- 44. (New) The process of claim 37 further comprising isolating said modified pectin from said PME extract to produce isolated modified pectin.
- 45. (New) The process of claim 37 wherein said isolated modified pectin is high ester pectin.
- 46. (New) The process of claim 44 wherein said isolated modified pectin contains from about 55% to about 85% ester groups.
- 47. (New) The process of claim 37 further comprising adding the modified pectin to a medium that is suitable for consumption.

- 48. (New) The process of claim 47 wherein the medium is an acidic environment.
  - 49. (New) The process of claim 48 wherein the medium is a beverage. `
- 50. (New) The process of claim 49 wherein the beverage is an acidified milk beverage, a drinking yoghurt, a fruit juice, a milk beverage, a beverage comprising whey protein, or a beverage comprising a vegetable protein.